

<b>Coke Type</b>	Type 1: Coal Coke Breeze		<input type="checkbox"/>
	Type 2: Calcined Petroleum Coke Breeze		<input type="checkbox"/>
	Type 3: Special Calcined Petroleum Coke Breeze		<input checked="" type="checkbox"/>
<b>Composition</b>	Type 1 <input type="checkbox"/>	Type 2 <input type="checkbox"/>	Type 3 <input checked="" type="checkbox"/>
	Carbon 80% (max.)	Carbon 90% (max.)	Carbon 95% (max.)
	Moisture 5% (max.)	Ash 5% (max.)	Ash 1% (max.)
	Ash 15% (max.)	Moisture 5% (max.)	Moisture 3% (max.)
	Sulphur 1% (Max)	Volatile 5% (max.)	Volatile 1% (max.)
	Volatile 5% (max.)	Sulphur 5% (Max)	Sulphur 1% (Max)
<b>Bulk Density (kg/m<sup>3</sup>)</b>	Type 1 <input type="checkbox"/>	Type 2 <input type="checkbox"/>	Type 3 <input checked="" type="checkbox"/>
	650 - 800	700 - 1100	1050 - 1200
<b>Resistivity (Ω.cm)</b>	Type 1 <input type="checkbox"/>	Type 2 <input type="checkbox"/>	Type 3 <input checked="" type="checkbox"/>
	100	100	0.1
<b>Particle Size</b>	Type 1 <input type="checkbox"/>	Type 2 <input type="checkbox"/>	Type 3 <input checked="" type="checkbox"/>
	Less than 10 mm: 100%	Less than 3 mm 100%	Less than 1.0 mm 100%
	Greater than 1 mm 90%	Greater than 0.5 mm 90%	Less than 0.6 mm 80%
			Greater than 0.4 mm 90%
			Greater than 0.15 mm 99%