


Horizontal Cable Tap to Horizontal lug or Bus (CB-E)

Application:

CB-E Type Molds are used to connect a copper conductor to a copper lug or bus bar. Lugs and connections for equipment and structures. Ideal for power utility applications.



Reference Code	Cable Section (mm ²)		Cartridge Size	Handle Clamp Type
	Main	Tap		
CB-E 35/20x3	35	20x3	45	NHC-50
CB-E 35/25x3	35	25x3	45	NHC-50
CB-E 50/20x3	50	20x3	45	NHC-50
CB-E 50/25x3	50	25x3	65	NHC-50
CB-E 70/25x3	70	25x3	65	NHC-50
CB-E 70/30x3	70	30x3	90	NHC-50
CB-E 95/25x3	95	25x3	90	NHC-50
CB-E 95/30x3	95	30x3	90	NHC-50
CB-E 120/25x3	120	25x3	90	NHC-50
CB-E 120/30x3	120	30x3	115	NHC-50
CB-E 120/30x5	120	30x5	115	NHC-50
CB-E 120/50x5	120	50x5	150	NHC-50
CB-E 150/25x3	150	25x3	115	NHC-50
CB-E 150/30x3	150	30x3	115	NHC-50
CB-E 150/30x5	150	30x5	115	NHC-50
CB-E 150/50x5	150	50x5	150	NHC-50
CB-E 185/30x5	185	30x5	150	NHC-80
CB-E 185/50x5	185	50x5	200	NHC-80
CB-E 240/30x5	240	30x5	200	NHC-80
CB-E 240/50x5	240	50x5	250	NHC-80

Required Tools:

Suitable Mould Type: (CB-E)
Handle Clamps (NHC)
Exothermic Welding Powder
Wick Starter
Metalic Disk
Flint Ignitor

Suggested Tools:

Cleaning Tools (CTKA)
Torch Warmer (TFG)
Scraper

Titel:	Document No.:						
Horizontal Cable Tap to Horizontal lug or Bus (CB-E)	Rev.:	0	Issued For Approval	97/10/20	K. J.	M.R.Hedayati	M.R.Hedayati
	Page:	1/2	Description	Date	Prepared	Checked	Approved